

Test report

Report No.:
892567-1



**DANISH
TECHNOLOGICAL
INSTITUTE**

Gregersensvej 1
DK-2630 Taastrup
+45 72 20 20 00
info@teknologisk.dk
www.teknologisk.dk

Page 1 of 3

Init: JJU/JHA

Order no.: 892567

Number of appendices: 2

Assignor: Savir Design, Vejle A/S, Sadelmagervej 14, DK-7100 Vejle

Item : Gate Reflect - Sledge

Sampling: The test material was sampled by the assignor and received at the Danish Technological Institute on 2019-10-03.

Period: The testing was carried out from 2019-10-03 to 2019-10-23.

Test method: EN 16139:2013, Furniture - Strength, durability and safety - Requirements for non domestic seating
EN 1022:2005, Domestic furniture - Seating - Determination of stability
EN 16139 Test severity L1: General use: E.g. in office buildings, showrooms, public halls, function rooms, cafés, restaurants, canteens, banks, bars.
Additional information is given in appendix B.

Results: **Passed.**
The results are shown in appendix A.

Terms: Accredited testing was carried out in compliance with international requirements (EN/ISO/IEC 17025:2005) and in compliance with Danish Technological Institute's General Terms and Conditions regarding Commissioned Work accepted by Danish Technological Institute. The test results apply to the tested products only. This report may be quoted in extract only if the laboratory has granted its written consent.

Date/place: 2019-10-23, Danish Technological Institute, Taastrup, Building and Construction

Signature:

Jesper Junge Pedersen
Test responsible

Jan Hansen
Co-signatory



DANAK

TEST Reg.nr. 2



Test of Model: Gate Reflect - Sledge

Loading according to test severity EN 16139 level L1.

Test no.	Test	Test Method	Cycles	Load	Result
4.1	General	EN 16139, 4.1			Passed
4.2.2	Shear and squeeze points under influence of powered mechanisms	EN 16139, 4.2.2			N/A
4.2.3	Shear and squeeze points during use	EN 16139, 4.2.3			Passed
4.3.2	Swivelling chairs	EN 1335			N/A
4.3.3	Non swivelling chairs	EN 1022			Passed
4.4	Rolling resistance of the unloaded chair	EN 16139, 4.4			N/A
5	Strength and durability requirements	EN 16139, 5			Passed
6.1.1	Seat static load and back static load test	EN 1728, 6.4	10 10	Seat: 1600 N Back: 560 N	Passed
6.1.2	Seat front edge static load	EN 1728, 6.5	10	Seat: 1300 N	Passed
6.1.3	Vertical load on back rests	EN 1728, 6.6	10	Seat: 1300 N Back: 600 N	Passed
6.1.4	Foot rest static load test	EN 1728, 6.8	10		N/A
6.1.4	Leg rest static load test	EN 1728, 6.9	10		N/A
6.1.5	Arm rest sideways static load test	EN 1728, 6.10	10		N/A
6.1.6	Arm rest downwards static load test	EN 1728, 6.11	5		N/A
6.1.7	Vertical upwards static load on arm rests	EN 1728, 6.13	10		N/A
6.1.8	Combined seat and back durability test	EN 1728, 6.17	100000 100000	Seat: 1000 N Back: 300 N	Passed
6.1.9	Seat front edge durability test	EN 1728, 6.18	50000	800 N	Passed
6.1.10	Arm rest durability test	EN 1728, 6.20	30000		N/A
6.1.11	Foot rest durability test	EN 1728, 6.21	50000		N/A
6.1.12	Leg forward static load test	EN 1728, 6.15	10	Edge: 450 N (Seat: 1000 N)	Passed
6.1.13	Legs sideways static load test	EN 1728, 6.16	10	Edge: 300 N (Seat: 1000 N)	Passed
6.1.14	Seat impact test	EN 1728, 6.24	10	240 mm	Passed
6.1.15	Back impact test	EN 1728, 6.25	10	210 mm / 38 °	Passed
6.1.16	Arm Impact Test	EN 1728, 6.26	10		N/A
6.1.17	Drop test (multiple seating)	EN 1728, 6.27.1	2 x 5		N/A
6.1.18	Auxiliary writing surface static load test	EN 1728, 6.14			N/A
6.1.19	Auxiliary writing surface durability test	EN 1728, 6.22	10000		N/A
7	Information for use	EN 16139, 7			N/A



Information required by EN 16139:2013

European Standards used:

EN 16139:2013 - Furniture - Strength, durability and safety - Requirements for non-domestic seating

EN 1022:2005 - Domestic furniture - Seating - Determination of stability

Details of tested seating:

Model:	Gate Reflect - Sledge			Type:	Chair		
Width:	515 mm	Length:	510 mm	Height:	845 mm	Weight:	6.5 kg
Materials:	Metal - plastic						

Details of defects observed before testing:

None.

Details of any deviations from this standard:

None.

Any variation from the specified temperature range:

None.

Test result:

See appendix A.

Name and address of the test facility:

Danish Technological Institute, Gregersensvej, Taastrup 2630, Denmark

Date of test:

2019-10-03 to 2019-10-23

Photo of the received sample:

